🕝 Hanwha 🗿 Total	Material Safety Data Sheet	Date	2011.11.11
	(MSDS)	Revision date	2015.05.01
	Hanwha Total Petrochemical PP	Revision No.	REV.2
	Composite SI83R	Pages	1 / 12

1. IDENTIFICATION		
A. Product name		
○ Product name:		
Hanwha Total Pe	etrochemical PP Composite SI83R	
B. Recommended Use a	nd Restriction on Use	
⊖ General Use: No	t available	
\bigcirc Restriction in	use: Not available	
C. Manufacturer/Dist		
- Manufacturer Inf		
Company	Hanwha Total Petrochemical Co., Ltd.	
Address	103, Dokgot 2-ro, Daesan-eup, Seosan-si, Chungcheongnam-do, Korea 356-711	
Phone	82-41-660-6255 FAX 82-41-660-6089	
There		
2. HAZARDS IDENTIFICA		
A. GHS Classificatio	n:	
O Physical Hazard		
- Not Classified		
⊖ Health Hazards		
- Not Classified		
⊖ Environmental H	lazards	
- Not Classified		
R CUS label element	a including process in a tatementa:	
B. GHS label elements, including precautionary statements:		
○ Hazard symbols: Not available ○ Signal word: Not available		
○ Signal word: Not available ○ Hazard statement: Not available		
 Precautionary s 		
- Prevention: Not		
- Response: Not a		

🕝 Hanwha 🔿 Total	Material Safety Data Sheet	Date	2011.11.11
	(MSDS)	Revision date	2015.05.01
	Hanwha Total Petrochemical PP	Revision No.	REV.2
	Composite SI83R	Pages	2 / 12

- Storage: Not available

- Disposal: Not available

C. Other hazards which do not result in classification:

- NFPA rating(0-4 steps): Health =1, Flammability=1, Reactivity=0

3. COMPOSION/INFORMATION ON INGREDIENTS

Chemical name	Other name	CAS No. or Identification No	Content(%)
EPROPYLENE	1-PROPENE, POLYMER	9010-79-1	≥ 30
COPOLYMER	WITH ETHENE	9010-79-1	≥ 50
POLYPROPYLENE	1-PROPENE, HOMOPOLYMER	9003-07-0	\geq 35
BARIUM SULFATE	SULFURIC ACID, BARIUM SALT (1:1)	7727-43-7	< 30
Others	Additives		< 5

** Identification No.: KE(Korea Existing Chemicals Registration Number)

4. FIRST-AID MEASURES

- A. Eye Contact:
 - In case of contact with substances, rinse your eyes immediately with running water for at least 20 minutes.
 - Consult a doctor.
- B. Skin Contact:
 - In case of contact with substances, rinse your skin immediately with running water for at least 20 minutes.
 - Thoroughly clean clothes and shoes before reuse.
 - Consult a doctor.

🕜 Hanwha 🚺 🏹 TOTAL	Material Safety Data Sheet	Date	2011.11.11
	(MSDS)	Revision date	2015.05.01
	Hanwha Total Petrochemical PP	Revision No.	REV.2
	Composite SI83R	Pages	3 / 12

- C. Inhalation:
 - If not breathing, carry out the artificial respiration.
 - If short of breathing, provide oxygen supply system.
 - Move into fresh air.
 - Consult a doctor.

D. Ingestion:

- Do not put anything into the mouth of an uncounsious person.
- Immediately take medical action.
- E. Delay and immediate effects and also chronic effects from short and long term exposure: Not available
- F. Notice to Physician:
 - Do not put anything into the mouth of an uncounsious person.

5. FIRE FIGHTING MEASURE

- A. Suitable (Unsuitable) extinguishing media:
 - Extinguishing media: Mist, fine water spray, chemical desiccant, carbon dioxide, foam
 - Unsuitable Extinguishing media: water jet
 - Large Fire: Not available
- B. Specific hazards arising from chemicals:
 - \bigcirc Thermal decomposition products:
 - Pyrolysis or combustion cause irritative gases or carbon oxides.
 - \bigcirc Fire and Explosion Hazards: Not available
- C. Fire fighting procedures and equipments:
 - Move the containers out of the fire areas, if possible to do without risk.
 - Some are possibly at high temperature during transfer.

🕢 Hanwha 🔿 Total	Material Safety Data Sheet	Date	2011.11.11
	(MSDS)	Revision date	2015.05.01
	Hanwha Total Petrochemical PP	Revision No.	REV.2
	Composite SI83R	Pages	4 / 12

- Effluents may cause contamination.
- Direct contact may cause burning on the skin and eyes.
- For disposal of fire water, dig a ditch to trap and prevent the spread of substances.
- Move the containers out of the fire areas, if possible to do without risk.
- For a fire on tank, cool down the containers with cool water after being extinguished.
- Immediately evacuate, in case of noise from pressure relief units or discoloration of the tank.
- For a fire on tank, step back from the tank engulfed in flames.

6. ACCIDENTAL RELEASE MEASURES

- A. Personal Precautions, Protective Equipment and Emergency procedures:
 Take caution of substances and conditions that should be avoided.
 - If the second substances and conditions that should be
 - If it is not dangerous, stop leaking. - Remove all flammable sources.
 - Remove all flammable sour
 - Prevent producing dust.
 - DO NOT touch the effluents or walk around the area.
 - Ventilate properly.

B. Environmental Precautions:

- Spill in air: Not available
- \bigcirc Spill in soil: Not available
- \bigcirc Spill in water: Not available
- \bigcirc Sewage water leak, water will be prevented from entering.
- Leakage in many cases be reported to the fire department and related departments.
- C. Methods and materials for containment and cleaning up:
 - Small leak:
 - Wipe out

🕝 Hanwha 🚺 🏹 Total	Material Safety Data Sheet	Date	2011.11.11
	(MSDS)	Revision date	2015.05.01
	Hanwha Total Petrochemical PP	Revision No.	REV.2
	Composite SI83R	Pages	5 / 12

- Dispose the effluents in a air-tight container.

○ Large leak:

- Powder emission: To minimize the spread, cover it with plastic sheets or water-proof cloths and keep it away from water.

7. HANDLING AND STORAGE

- A. Handling:
 - Wash thoroughly after use.
 - Take caution of substances and conditions that should be avoided.
 - Take caution against high temperature.
 - Refer Engineering Maintenance and Personal Protective Gears at work.
- B. Storage Precautionary Statements:
 - Take caution of substances and conditions that should be avoided.
 - Store in cool and dry places.
 - Seal it before storage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

A. Exposure Limits By Material:

Chemical Name	Exposure limit under ISHL	ACGIH	OSHA
BARIUM SULFATE	_	TWA 10 mg/m ³	-

○ Biological exposure limits: Not applicable

B. Engineering Controls

- The use of local exhaust ventilation is recommended to control emissions near the source. Laboratory samples should be handled in a fumehood. Provide mechanical ventilation of confined spaces.
- C. Personal Protective Equipment:

○ Respiratory protection: Frequent use or heavy exposure, respiratory

🕝 Hanwha 🗿 Total	Material Safety Data Sheet	Date	2011.11.11
	(MSDS)	Revision date	2015.05.01
	Hanwha Total Petrochemical PP	Revision No.	REV.2
	Composite SI83R	Pages	6 / 12

protection if needed. Respiratory protection is ranked in order from minimum to maximum. Consider warning
properties before use.
≫ When take shelter
- Dust, mist, fume-purifying respiratory protection
- Any air-purifying respirator with a corpuscle filter of high
efficiency
- Any respiratory protection with a electromotion fan(for dust,
mist, fume-purifying)
* For Unknown Concentration or Immediately Dangerous to Life or
Health
- Self-contained breathing apparatus(pressure-demand or other
positive-pressure mode in combination)
- Supplied-air respirator with full facepiece
○ Eye protection: Wear primary eye protection such as splash
resistant safety goggles with a secondary protection face shield. Provide an emergency eye wash station and quick drench shower in the immediate work area.
\bigcirc Hand protection: Where there is potential for hand contact, wear
appropriate gloves.
\bigcirc Body protection: Where there is potential for skin contact, wear
appropriate clothing.
9. PHYSICAL AND CHEMICAL PROPERTIES
A. Appearance (physical state, color, etc.): Solid (Pellet)
B. Smell: Not available
C. Odor threshold: Not available
D. pH: Not available
E. Melting / freezing range: Not available
F. Initial boiling point and boiling point range: Not available
G. Flash point: Not available
H. Evaporation Rate: Not available
-

🕝 Hanwha 🔯 Total	Material Safety Data Sheet	Date	2011.11.11
	(MSDS)	Revision date	2015.05.01
	Hanwha Total Petrochemical PP	Revision No.	REV.2
	Composite SI83R	Pages	7 / 12

- I. Flammability (solid, liquid): Not available
- J. Explosion range of prints or high / low: Not available
- K. VAPOR PRESSURE: Not available
- L. Solubility: Not available
- M. Vapor Density: Not available
- N. Specific gravity: 1.00 ~ 1.15
- O. n-octanol / water partition coefficient: Not available
- P. Autoignition temperature: Not available
- Q. Decomposition temperature: Not available
- R. Viscosity: Not available
- S. Molecular Weight: Not available

10. STABILITY AND REACTIVITY

A. Stability:

- It is stable when stored and handled under recommended condition and at ambient temperature and pressure.

B. Possibility of Hazardous Reaction:

- No report about harmful polymerized reactions in the room temperature and pressure.
- C. Conditions to Avoid:
 - Avoid contacting with heat, flame and/or other ignition sources.
- D. Materials to Avoid:
 - Flammable substance
- E. Hazardous Decomposition Products:Thermal decomposition product a carbon oxides

IUUI

11. TOXICOLOGICAL INFORMATION

A. Information on the likely routes of exposure:

🕝 Hanwha 🔿 Total	Material Safety Data Sheet	Date	2011.11.11
	(MSDS)	Revision date	2015.05.01
	Hanwha Total Petrochemical PP	Revision No.	REV.2
	Composite SI83R	Pages	8 / 12

○ (Respiratory system): Not available ○ (Oral): Not available ○ (Eyes · Skin): Other Category B. Delayed and immediate effects and also chronic effects from short and long term exposure ○ Acute Toxicity: - Oral: [POLYPROPYLENE] (LD50) > 8000 mg/kg Rat [BARIUM SULFATE] LD50 > 3000 mg/kg Rat(mouse)- Skin: Not available - Respiratory: Not available ○ Skin corrosiveness or irritation: [BARIUM SULFATE] TOTAL Human: No irritation ○ Severe eye damage or irritation: [BARIUM SULFATE] Human: Mild irritation ○ Respiratory sensitization: Not available ○ Skin sensitization: Not available ○ Carcinogenicity: - Industrial Safety & Health Law: Not available - OSHA: Not available - NTP: Not available - IARC(GROUP): [POLYPROPYLENE] Group 3 - ACGIH: Not available - EC: Not available ○ Germ cell mutagenicity: Not available

	Material Safety Data Sheet (MSDS)	Date	2011.11.11
🕢 Hanwha 🔇 Total		Revision date	2015.05.01
	Hanwha Total Petrochemical PP	Revision No.	REV.2
	Composite SI83R	Pages	9 / 12

- \bigcirc Reproductive toxicity: Not available
- Specific target organ toxicity (single exposure): Not available
- Specific target organ toxicity (repeated exposures): Not available

TOTAL

○ Aspiration hazard: Not available

12. ECOLOGICAL INFORMATION

- A. Ecotoxicity:
 - \bigcirc Acute aquatic toxicity:
 - Fish: Not available
 - Invertebrate:
 - [BARIUM SULFATE]
 - EC50 32 mg/ ℓ 48 hr Daphnia magna
 - Algae:
 - [BARIUM SULFATE]
 - <mark>─E</mark>C50 1890.263 mg/ℓ 96 hr
- B. Persistence and degradability:
 - O Persistent: [BARIUM SULFATE]
 - log Kow 0.63
 - Biodegradable: Not available
- C. Bioaccumulative potential:
 - Bioaccumulation:
 [BARIUM SULFATE]
 BCF 3.162
 - \bigcirc Biodegradability: Not available
- D. Mobility in soil: Not available
- E. Other adverse effects: Not available

	(MSDS)	Date	2011.11.11
🕢 Hanwha 🔇 Total		Revision date	2015.05.01
	Hanwha Total Petrochemical PP	Revision No.	REV.2
	Composite SI83R	Pages	10 / 12

13. DISPOSAL CONSIDERATIONS

- A. Disposal method:
 - More than two kinds of wastes are a mixture if it is difficult to separate treatment by incineration or a similar process may stabilize the reducing. The possible to separate oil water separation must be disposed of Priority. Incinerate the waste in incinerator. Evaporated and the residue is treated by the method of incineration be disposed.
- B. Special precautions for disposal:

- The user of this product must properly characterize the waste generated from the use of this product in accordance with all applicable federal, state and/or local laws and regulations in order to determine the proper disposal of the waste in accordance with all applicable federal, state and/or local laws and regulations. Observe of Wastes Control Act.

14. TRANSPORT INFORMATION

A. UN No.: Not regulated as a hazardous material.

טו וע

- B. UN Proper Shipping Name: Not available
- C. Hazard class: Not available
- D. Packing group: Not available
- E. Marine pollutant: Not applicable
- D. Special precautions for user related to transport or transportation measures:
 - EmS FIRE SCHEDULE: Not available
 - EmS SPILLAGE SCHEDULE: Not available

	Material Safety Data Sheet (MSDS)	Date	2011.11.11
🕢 Hanwha 🔇 Total		Revision date	2015.05.01
	Hanwha Total Petrochemical PP	Revision No.	REV.2
	Composite SI83R	Pages	11 / 12

А	. Korea Industry Safety and Health Law (ISHL):
	○ Working Environment Measurement materials
	: Not Applicable
	○ Material exposure standard
	: Not Applicable
	\bigcirc Hazardous substances by the management target
	: Not Applicable
	○ Special health check
	: Not Applicable
В	. The Chemical Control Act in Korea(TCCA)
	○ Toxic Chemical
	: Not Applicable
	• Permissible chemical
	Not applicable 100110
	○ Limited Chemical
	: Not applicable
	○ Prohibition Chemical
	: Not applicable
С	. Dangerous goods Safety Management Law in Korea
	○ Dangerous Goods
	: Not Applicable
D	. Waste Management Law in korea
	🔿 Industrial waste
	: Not Applicable (Designated Waste(Waste polymer compound))

	Anwha 🐼 TOTAL Material Safety Data Sheet (MSDS) Hanwha Total Petrochemical PP	Date	2011.11.11
🕢 Hanwha 🔇 Total		Revision date	2015.05.01
		Revision No.	REV.2
	Composite SI83R	Pages	12 / 12

\bigcirc EU classification: Not classified
- Classification: Not Applicable
- Risk Phrases: Not Applicable
- Safety Phrases: Not Applicable
○ US regulations
- OSHA regulation (29 CFR1910.119): Not Applicable
- CERCLA section 103 (40 CFR302.4): Not Applicable
- EPCRA section 302(40 CFR355.30): Not Applicable
- EPCRA section 304 (40 CFR355.40): Not Applicable
- EPCRA section 311/312 (40 CFR355.40): Not Applicable
- EPCRA section 313 (40 CFR372.65): Not Applicable
- U.S. waste disposal regulations:
Hazardous Waste Number: Not Applicable
Regulatory Standard: Not Applicable
○ Rotterdam Convention material: Not Applicable
O Stockholm Convention material: Not Applicable
○ Montreal Protocol on Substances: Not Applicable
16. OTHER INFORMATION
A. References:
O Chemwatch AuthorITe(MSDS Authoring Software)
○ KOSHA